



MATERIAL SAFETY DATA SHEET

SUPER SEAL

1: PRODUCT AND COMPANY IDENTIFICATION

Product Name:	Super seal
Description:	Waterproofing membrane
Manufacturer:	Siddhi Vinayak Construction Chemical Pvt Ltd
Contact:	18008902498, +91-9713958888
Email id	query@svccpvtltd.com
Website:	www.svccpvtltd.Com
Cas Number	9003-4-01
EC NO.	
Product Use	For waterproofing

2: BUYER COMPANY NAME AND INFORMATION

Company Name:
Invoice no:
Product HS code:
Product name:
Contact no:

3: NATURE / INFORMATION ON INGREDIENTS

Nature: Acrylic Polymer base.
Hazardous Ingredient(s): None of the significant ingredients of this product are classified as hazardous.

4: HAZARDS IDENTIFICATION

Routes of Exposure: Inhalation, ingestion, skin contact, eye contact.
Inhalation: Corrosive. May cause damage to mucous membranes in nose, throat, lungs and bronchial system.
Ingestion: Corrosive. Harmful if swallowed. May produce burns to the lips, oral cavity, upper airway, esophagus and digestive tract.
Skin Contact: Corrosive. Causes severe burns.
Eye Contact: Corrosive. Causes severe burns. Vapor or spray may cause eye damage, impaired sight or blindness.
Target Organs: Skin, respiratory system, eyes, lungs
Chronic Health Effects: Corrosive. Prolonged contact causes serious tissue damage.

5: FIRST AID MEASURES

Eyes: Irrigate immediately with copious quantities of water for 15 minutes. Obtain medical attention if irritation persists.
Skin: Wash thoroughly with soap and water or suitable skin cleanser as soon as possible.



Inhalation: Remove from exposure – unlikely to occur.
Ingestion: Wash out mouth with water. Don't induce vomiting.
Obtain medical attention.

6: FIRE FIGHTING MEASURES

Flash Point: None, not flammable.
Special Exposure Hazards: None.
Extinguishing Media: As surrounding fire.
Personal Protective Equipment None.

7: ACCIDENTAL RELEASE MEASURES

Personal Precautions: Wear suitable protective clothing, gloves and eye/face protection.
Environmental Precautions: Prevent entry into drains, sewers and water courses.
Decontamination Procedures: Soak up with inert absorbent and remove by best available means.
Dispose of as waste: Prior consent must be obtained from the local water company if discharged to sewer.

8: HANDLING AND STORAGE

Handling: Wear personal protective equipment Use only in well-ventilated areas. Provide sufficient air exchange and/or exhaust in work rooms. Avoid contact with skin, eyes and clothing. Do not breathe vapors or spray mist. Do not ingest. When using, do not eat, smoke, or drink. Keep away from incompatible materials. Handle in accordance with good industrial hygiene and safety practice. Wash thoroughly after handling. Containers of this material may be hazardous when empty since they retain product residues (vapors, liquids).

Storage: Store in a cool, dry, ventilated area away from incompatible materials. Store in original container. Keep containers tightly closed and upright. Keep away from food, drink and animal feeding stuffs. Keep out of the reach of children.

9: EXPOSURE CONTROLS AND PERSONAL PROTECTION

Eye Contact: Safety glasses/goggles.
Skin Contact: Impervious gloves (e.g., PVC).
Respiratory Protection: Unlikely to happen.
Engineering Controls: No specific ventilation requirement noted.
Exposure Guidelines: None assigned.

10: PHYSICAL AND CHEMICAL PROPERTIES

Form: Liquid
Color: whites' Milky viscous liquid
pH (at 23°C): > 7.5
Boiling Point (°C): > 99



Flash Point (closed cup) (°C):	None
Auto Flammability (°C):	Not applicable
Explosive Properties (%):	Not applicable
Freezing Point (°C):	≅ -11
Water Solubility:	Soluble
Density (@25°C)	1.05KG/L

11: STABILITY AND REACTIVITY

Stability:	Stable
Conditions to Avoid:	Temperature below 0 °C.
Chemical Incompatibility:	Oxidizing agents. Strong acids, strong alkalis.
Hazardous Decomposition Products:	Thermal Decomposition Yields Carbon Oxides.
Self-Life	12 months from The Date of Manufacturing.

12: TOXICOLOGICAL INFORMATION

The following toxicological assessment is based on knowledge of the toxicity of the product's components.

Health Effects

On Eyes:	May cause slight transient irritation.
On Skin:	Unlikely to irritate on brief occasional exposure.
By Inhalation:	Low volatility makes inhalation unlikely at ambient temperatures.
By Ingestion:	Low order of acute toxicity. May cause irritation of mouth, throat and digestive tract.
Chronic:	Long term skin contact may cause some local short-term irritation.

13: ECOLOGICAL INFORMATION

Environmental Assessment:	When used and disposed of as intended, no adverse environmental effects are foreseen.
Mobility:	Mobile liquid. Soluble in water.
Degradability:	Expected to be readily biodegradable.
Bioaccumulation:	Not expected to be bio accumulative.
Acute Fish Toxicity:	Expected to be ecotoxic to fish/daphnia/algae.

14: DISPOSAL CONSIDERATION

Disposal must be in accordance with local and national legislation.	
Unused Product:	Dispose of through an authorized waste contractor to licensed site.
Used/ Contaminated Product:	As for unused product.
Packaging:	May be steam cleaned and recycled.



15: TRANSPORT INFORMATION

This product is **not** classified as dangerous for transport.

16: REGULATORY INFORMATION

Hazard Label Data: This product is **not** classified as dangerous for supply.

17: OTHER INFORMATION

Disclaimer: The information contained herein is derived from the best available sources and is believed to be accurate. However, no guarantee is expressed or implied regarding the accuracy of the data given in the use of this product.

SV HOUSE, NO. 2, OPP. SHRI RAMSHARNAM ROAD, WARD NO. 22, UTAILI SATNA,
Satna, Madhya Pradesh 485001